

*küschall*<sup>®</sup>  
designed for life

*Time for playing*



*Friends for life.*


The weather is fantastic, a time to enjoy care-free fun. With the küschall® Kid and küschall® Kid Competition, you can let your child play freely. These two models are not only fashionable, but they are also extremely robust and comfortable. It's not surprising that children take to these in a flash.



*Kid*



*Kid Competition*



*Kid Frame colours*

-  Royal violet
-  Neon yellow/  
Neon green
-  Ice-blue




*Kid Competition Frame colours*

-  Royal violet
-  Neon yellow
-  Ice-blue



The abduction frame allows for maximum leg space and functionality when getting in or out of the wheelchair.



Additional leg rests are provided by the swivel out footrests at different angles.





comfort is pro-  
 viding-in/swing-  
 available in three  
 es (65°, 75°, 85°).



The option of multi-functional  
 footrests enables the user  
 to adjust angle and length to  
 any required position, there-  
 fore optimising the seating  
 posture.



## *küschall® Kid Competition*



The abduction frame as well as  
 the rigid and robust structure  
 allow for maximum freedom  
 of movement especially for  
 active kids.



The seat position and height  
 are stepless adjustable. This  
 allows you to optimise and  
 customise the chair to suit  
 your child's need.



Using our adjustable rear  
 wheel axle, Vario-Ax, you can  
 set the camber of the wheels  
 at 4 different angles (1°, 3°, 7°  
 or 10°). It makes the wheel-  
 chair more manoeuvrable. The  
 model is available for a seat  
 width from 27 cm.

## küschall® Kid



Seat width:  
27 - 36 cm  
(in increments of 3 cm)



Seat depth:  
24 - 36 cm



Seat height:  
front 43 - 54 cm  
rear 38 - 45 cm



Backrest height:  
31.5 - 48 cm  
(in increments of 1.5 cm)



Shank length:  
14 - 50 cm  
(in increments of 1.5 cm)



Seat angle:  
variable, standard  
4 cm



Backrest angle:  
-12°, -8°, -3°, 0°, 3°, 8°, 12°



Total width:  
seat width + 20 cm



Total length:  
approx. 87 cm



Total width, folded:  
approx. 30 cm



Total length without  
footrests:  
approx. 87 cm



Total weight /unloaded  
weight:  
approx. 11.9 kg



Max. user weight:  
60 kg



Transporting weight:  
approx. 8.9 kg

## küschall® Kid Competition



Seat width:  
24 - 36 cm  
(in increments of 3 cm)



Seat depth:  
25 - 33 cm



Seat height:  
front 36 - 40 cm  
rear 30 - 37 cm



Backrest height:  
27.5 - 47.5 cm  
(in increments of 1.5 cm)



Shank length:  
15 - 30 cm  
(in increments of 1.5 cm)



Seat angle:  
variable, standard  
4 cm



Backrest angle:  
70°, 75°, 80°, 85°, 90° to  
seat area



Total width:  
seat width + 22.5 cm  
at 3° wheel inclination



Total length:  
approx. 73 cm



Total weight /unloaded  
weight:  
approx. 10.5 kg



Max. user weight:  
60 kg



Transporting weight:  
approx. 7.8 kg

We offer a broad range of accessories to meet all your individual needs. Please ask for our separate documentation on küschall® accessories/specials.

### United Kingdom:

Invacare® Ltd · South Road · Bridgend Industrial Estate · Bridgend CF31 3PY · Tel. +44 (0)1 656 647327 · Fax +44 (0)1 656 649016  
www.kuschall.com

### Greece, Israel, Middle East, Egypt, South Africa, USA, Argentina, Japan:

Invacare® AG · Ringstrasse 15 · CH-4123 Allschwil · Tel. +41 (0)61 487 70 70 · Fax +41 (0)61 487 70 79 · www.kuschall.com

### Eastern Europe:

Invacare® GmbH · Dehmer Strasse 66 · D-32549 Bad Oeynhausen · Tel. +49 (0)5731 754 0 · Fax +49 (0)5731 754 52191  
www.kuschall.com

The küschall® brand name is a registered trade mark of Invacare®.

Every effort has been made to ensure that the contents of this publication are fully up-to-date at the time of going to print. As part of its ongoing improvement of products, Invacare® AG reserves the right to modify existing models at any time. küschall® dealers will be notified of any such modifications. Due to reasons related to printing technology, the colours depicted here may differ from the actual product colours. Any use of this brochure, or of parts thereof, as well as any reproduction of images, must have the written consent of Invacare® AG.