

QUICKIE®

Power



Salsa®



**Compact yet powerful...
...at home outside as well as inside!**

Configured Salsa® with Comfort Seating and powered elevating legrests



QUICKIE®

Compact dimensions for INDOOR mobility...



Low seat height for easy table access

- with 12" wheels at 0° manual tilt = 14.5" (37 cm)
- with 14" wheels = 15" (38 cm)
- with 30° power tilt module = 16" (41 cm)
- 4 x 0.8" (2 cm) seat height adjustments



Narrow chair width easily accesses narrow doors and confined spaces

- with 12" wheels chair width = 23" (58 cm)*
- with 14" wheels chair width = 24" (61 cm)*
- Flip-back lighting (option) does not impact width



Unique 11" (28.5 cm) base unit height with 60 Amp batteries as standard

- New battery, wiring and electronic layout for compact base
- Adjustable suspension for optimum comfort and handling
- Suspended frame for improved handling and traction control

... and performance for OUTDOOR freedom



3" (8cm) ground clearance for thresholds, ramps, kerbs and rough terrain with 14" wheels

- 14" wheel version climbs 4" (10cm) kerbs with kerb climber (std)
- 12" wheel version climbs 3" (8.5cm) kerbs with kerb climber (std)
- Easily mounts 9" (23 cm) dual ramps



Compact 60 Amp gel batteries and electronics

- Provides range of up to 20 miles (32km) [ISO 7176 Part 4]
- Maximum user weight 22 stone (140 kg)
- Safe to transport in vehicles, trains and planes
- Fully crash test approved (including J3 back and options)

* with larger seat sizes overall chair width may be increased



Innovative compact base = excellent **INDOOR** mobility + **OUTDOOR** freedom



Salsa 12" rear wheel option = 23" (58cm) chair width



Standard NHS PACK 3 Salsa® – 14" rear wheels and kerb climber (not shown above) are standard



Fully adjustable seating system with retro-fittable options for easy assessment, refurbishment and servicing



ONE fully adjustable seat with more than TWO MILLION seating combinations as standard!

- Only four tools required for adjusting complete seating system
- Five seat widths and five seat depths
- Five seat heights and four seat angles
- Three hanger depths plus adjustable footplates
- Full height, depth and angle adjustment on flip-back armrests
- Six backrest angles and three backrest heights – complete with adjustable push handles and width and tension adjustable upholstery



Easy transfer

- Flip-back armrests and controller
- Detachable, swing-away legrests
- Low seat to floor height
- Easily removable skirt guards



Easy to service

- Pull out battery tray for servicing with client in chair
- Easily removable shroud with accessible wiring/electronics
- Only four bolts to separate seat system from base



Safety on slopes, ramps and in transport

- Fully transit tested (ISO 7176 Part 19) with six point tie downs
- Quick release, removable backrest for easy transport
- Centre of Gravity (COG) seat adjustment for optimised stability
- Central batteries to improve stability
- Tested for use with 9" (23 cm) dual ramps



Easy to adapt retro-fit kits; ideal for refurbishment / upgrade

- Full range of retro-fittable options and accessories
- Up to four actuators and lighting (options)
- Compatible with new J3 backrests and positioning options
- Options can be ordered and delivered as standard kits

* For option and kit availability please see Salsa® configured and kit order forms





Full range of options available OR separately as retro-fittable option kits!



- Quickie Salsa® is easy to adjust, service, upgrade and downgrade to changing customer requirements
- Most option choices for the configured Salsa® are ALSO available as retro-fit kits for upgrade. Either order your Salsa® fully configured for specific clients or stock the standard Salsa® alongside retro-fittable kits for operational flexibility.
- Each retro-fit kit is delivered packaged and labelled with all the components required to fit an option, including the fitting instructions.
- See the Salsa® kit order form for further details and availability

| Quickie Salsa® | KIT CODE |
|---|------------------------|
| Upgrade kit: pair of 14" solid drive wheels + pair of 9" solid castors | 060552 |
| Upgrade kit: pair of 12" pneumatic drive wheels + pair of 8" solid castors* | 060539 |
| 220V 8 Amp automatic charger with UK power lead | 060540 |
| Four actuator control* | 060541 |
| Dual attendant control kit* | 060542 |
| Manual backrest recline kit 16"-18" (41 - 46 cm) seat depth* | 060544 |
| Manual backrest recline kit 19"-20" (48 - 51 cm) seat depth* | 060543 |
| Power seat tilt* | 060545 |
| Power backrest recline 16"-18" (41 - 46 cm) seat depth* | 060546 |
| Power backrest recline 19"-20" (48 - 51 cm) seat depth* | 060547 |
| Power seat lift & tilt* | 060548 |
| Standard 2" cushion for 16"-18" (41 - 46 cm) width | 060246-001 |
| Standard 2" cushion for 19"-20" (48 - 51 cm) width | 060246-002 |
| Standard 70° legrests with adjustable footplates (pair) | 060511 |
| Manual elevating legrests with angle adjustable footplates (pair) | 060512 |
| Power elevating legrests* | 060538 |
| Comfort Seating Kit 16" (41 cm) width (seat & back and fixing kit)* | 060549 |
| Comfort Seating Kit 18" (46 cm) width (seat & back and fixing kit)* | 060550 |
| Comfort Seating Kit 20" (51 cm) width (seat & back and fixing kit)* | 060551 |
| J3 backs and positioning options | see J3 order form |
| JAY cushions | see JAY order form |
| Kerb climber [climbs 4" (10 cm) kerbs with 14" rear wheel] | 060260 |
| Standard headrest kit | 060504 |
| Crutch holder kit | 060334 |
| Swing away tray kit (LH or RH) | 060494 |
| Built 4 Me Specials | Call Tel: 01384 446521 |

* For option and kit availability please see Salsa® configured and kit order forms

Standard Salsa® seating system; ONE seat = over two million seating combinations!

| inches / cms | | Seat width | | | | |
|--------------|---------|------------|---------|---------|---------|---------|
| | | 16 / 41 | 17 / 43 | 18 / 46 | 19 / 48 | 20 / 51 |
| Seat depth | 16 / 41 | | | | | |
| | 17 / 43 | | | | | |
| | 18 / 46 | | | | | |
| | 19 / 48 | | | | | |
| | 20 / 51 | | | | | |

4 x Seating angles

| Seating angles | 0° | 3° | 6° | 9° |
|----------------|----|----|----|----|
| degrees | | | | |

5 x Seat heights

| 12" rear wheel | 14.5 / 37 | 15 / 38 | 16 / 41 | 17 / 43 | 17.5 / 45 |
|----------------|-----------|-----------|-----------|-----------|-----------|
| inches / cms | | | | | |
| 14" rear wheel | 15 / 38 | 15.5 / 40 | 16.5 / 41 | 17.5 / 44 | 18 / 46 |

5 x Centre of gravity settings

| COG | -2 / 5 | -1 / 2.5 | 0 | +1 / 2.5 | +2 / 5 |
|--------------|--------|----------|---|----------|--------|
| inches / cms | | | | | |

3 x Hanger depths

| Hanger depths | +1 / 2.5 | +2 / 5 | +3 / 7.5 |
|---------------|----------|--------|----------|
| inches / cms | | | |

3 x Backrest heights

| Backrest height | 18 / 46 | 19 / 48 | 20 / 51 |
|-----------------|---------|---------|---------|
| inches / cms | | | |

6 x Backrest angles


| Backrest angles | -4° | 0° | 4° | 8° | 12° | 16° |
|-----------------|-----|----|----|----|-----|-----|
| degrees | | | | | | |

Infinite armrest depth settings

| Armrest depth | > 12 / 31 | < 16 / 41 |
|---------------|-----------|-----------|
| inches / cms | | |

Infinite armrest height settings

| Armrest height | > 9 / 22 | < 12 / 31 |
|----------------|----------|-----------|
| inches / cms | | |



| | Turning* | Ground Clearance | Chair Width | Chair Length no Legrests | Chair Length std Legrests | Chair Weight** | Max User Weight | Batteries | Speed | Max Angle of Climb*** | Kerb Climb**** |
|------------|---------------------------|------------------|-------------------|--------------------------|---------------------------|----------------|-----------------|-----------|-------------|-----------------------|--------------------------|
| 12" wheels | 33.5" / 47" / 85 / 120 cm | 2.8" / 7 cm | from 23" or 58 cm | 31.5" / 80 cm | 45" / 114 cm | 114.5 kg | 22 stone 140 kg | 60 amp | 4 mph 6 kph | 25° / 10.6° / 8° | 3.3" / 1.6" / 8.5 / 4 cm |
| 14" wheels | 33.5" / 47" / 91 / 120 cm | 3" / 8 cm | from 24" or 61 cm | 31.5" / 80 cm | 45" / 114 cm | 114.5 kg | 22 stone 140 kg | 60 amp | 4 mph 6 kph | 25° / 10.6° / 8° | 4" / 2" / 10 / 5 cm |

* Turning radius / Turning space for 3 point turn ** chair weight with batteries included. Salsa® weighs (77.5 kg) without batteries. Total chair weight is dependent on options chosen
 *** without client in chair / static with client in chair [ISO7176 Pt1] / dynamic with client in chair [ISO7176 Pt2] **** with kerb climber / without kerb climber

STLPS™
 Sunrise Training and Education Programmes
KNOWLEDGE FOR THE FUTURE

SUNRISE MEDICAL

Sunrise Medical Limited
 High Street
 Wollaston, Stourbridge
 West Midlands DY8 4PS
 T +44 (0) 1384 446666
 F +44 (0) 1384 446644
 www.sunrisemedical.com